


**YALE,** with its unique global reach and range of products, is the world's favourite lock – the preferred solution for securing your home, family and personal belongings.


ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.


#### Legal Disclaimer

Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. This brochure does not constitute an offer for the sale of any particular product.











ASSA ABLOY INDIA PVT. LTD.

19th Floor | Tower A | Building No. 5 | DLF Cyber Terraces | DLF Phase | | Gurgaon | Haryana -122002 | India Board: +91 124 440 7070 | info @assaabloy.co.in | www.yale.co.in

An ASSA ABLOY Group brand ASSA ABLOY







# DIGITAL BIOMETRIC LOCK

YDM4109 | YDR4110 | YDR414 | YDD424



Smart Touch pad for password protection



One-touch Fingerprint



Voice Guide Feature



Smart Touchpad



**Automatic Locking** 



Automatic Alarm (Break/Damage)

# Open your world and secure your home.

The lock pioneer brings a new paradigm of locking. This biometric lock combines brilliant technologies with a proven mechanical structure. With its incomparable beauty of aesthetic designs and cutting-edge features qualifies itself as one of the most essential building items for the contemporary housing. Enjoy the future life with Yale Biometric Digital Door Locks.





# One touch Fingerprint verification Method (Progressive Scan)

Easy scan technology has been applied to conveniently read a finger print in one shot without the need to open or close the cover to enter a fingerprint.









# DIGITAL LOCK YDM3109



**Smart Touchpad** 



Emergency Mechanical Dimple Key



Remote Control (Optional)



Missing Key Invalidation



Automatic Alarm (Break/Damage)



Anti-Panic Egress with Safe Handle



## **DIGITAL LOCK**

YDR343 | YDD324 | YDR3110



Mobile Access with RF Smart Chip & Touch keypad



Smart Touch pad for password protection



Modern and Slim Design



Remote Control (Optional)



High Temperature Alarm



Fake PIN Code



Slimmest Digital Door

11mm Super Slim Design

Lock





#### **YDR333**









Front Body 66.8(D)X108(W)X16(H)mm

Back Body 161(D)X92(W)X36.5(H)mm





# DIGITAL LOCK

YDM3212 | YDR333



Modern and Slim Design



Safe Thumb Turn



ClipTyre Bracket



**Visitor Code** 



Silent Button



Missing Key Invalidation



# DIGITAL LOCK

**YDR323/ YDR323G** 



Smart Touch Pad for Password Protection



Magic Mirror



Operation Status Notification



Automatic Locking



Low Battery Alarm and Emergency Power Supply Terminal



Remote Control (Optional)











YDR343









YDR323G



YDR3110



YDR414 YDD424 YDD324

#### **Accessories**

**YDR323** 









YDR4110



**YDR333** 

Remote Control

Remote Control

Transmitter

Receiver Module

**RFID Card** 

TECHNICAL FEATURE COMPARISON											
Model	YDM4109	YDM3109	YDM3212	YDR414	YDD424	YDR343	YDD324	YDR323/ YDR323G	YDR4110	YDR3110	YDR333
Туре	Mortise Lock	Mortise Lock	Mortise Lock	Rim Lock	Deadbolt Lock	Rim Lock	Deadbo <b>i</b> t Lock	Rim Lock	Rim Lock	Rim Lock	Rim Lock
Access	Finger Print / Pin Code	RF Card/ Pin Code	RF Card/ Pin Code	Finger Print / Pin Code	Finger Print / Pin Code	RF Card/Smart Chip/Pin Code	RF Card/ Pin Code	RF Card/ Pin Code	Finger Print / Pin Code	RF Card/ Pin Code	RF Card/ Pin Code
Mechanical Key	Yes	Yes	No	Yes	Yes	No	Yes	No	No	No	No
Fake Pin Code	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Voice Guide	Yes	No	No	Yes	Yes	No	No	No	Yes	No	No
Alarm (Break/Damage)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Alarm (Heat/High Temp.)	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Smart Touchpad	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Automatic Locking	Yes : within 5 seconds	Yes : within 5 seconds	Yes	Yes : within 5 seconds	Yes : within 5 seconds	Yes : within 5 seconds	Yes : within 5 seconds	Yes : within 5 seconds	Yes : within 5 seconds	Yes : within 5 seconds	Yes
Low Battery Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Emergency Power Supply	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Auto/Manual Lock Mode	Yes: Setting Button	Yes: Setting Button	Yes: Programmable	Yes: Programmable	Yes: Programmable	Yes: Programmable	Yes: Programmable	Yes: Programmable	Yes: Setting Button	Yes: Setting Button	Yes: Programmable
Forced Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Safety Mode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Remote Control (Optional)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Additional Feature	Anti-panic egress w/safe handle; shock resistence Heat sensor	Anti-panic egress w/safe handle; shock resistence Heat sensor	-	Maid function	-	Smart Chip	-	-	-	-	Silent Button
PRODUCT SPECIFICATION PRODUCT SPECIFICATION											
Finger Print	Up to 20	No	No	Up to 20	Up to 20	No	No	No	Up to 20	No	No
PIN Code Digits	6 to 12	6 to 12	4 to 12	4 to 12	4 to 12	4 to 12	4 to 12	4 to 12	4 to 12	4 to 12	4 to 12
RF Cards - ISO 1443 A Type RFID	No	Up to 40 Cards	Up to 20 Cards	No	No	Up to 40 Cards	Up to 40 Cards	Up to 40 Cards	No	Up to 20 Cards	Up to 20 Cards
Backset	60mm	60mm	70mm	45-55 mm	60-70 mm	60-80 mm	60 mm	60-80 mm	60-80 mm	60-80 mm	60-80 mm
Product Specification	40-80mm (Steel & Wooden Door)			35-55 mm (Steel & Wooden Door)		35-55 mm (Steel & Wooden Door)			35-55 mm (Steel & Wooden Door)	35-55 mm (Steel & Wooden Door)	
Integration with VDP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Integration with Home Automation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
*can also be installed on 35mm doors	s (using additional th	icker gasket)									

Guaranteed to give a higher level of protection







# BIOMETRIC FIRE SAFE

#### **Product Features and Functions**

- Biometric Finger Print scanner for advanced protection
- Up to 126 finger prints storage
- State-of-art digital touch panel
- LED display screen
- 1 billion+ digital combinations
- 4–16 digits pass code combination
- Dual pass codes option
- Tested to withstand up to 1 hour of fire at 927°C
- 16mm steel locking bolts
- Hinge protection with 18mm steel back end locking bolts
- Innovative scramble input function to protect your user code
- External battery compartment
- Low battery indicator





Exterior dimensions: 522 x 404 x 440 mm

Interior dimensions: 410 x 300 x 300 mm

Net Weight: 53.0 kg Volume: 36.9 litres





#### YFF/420/FG2











Exterior dimensions: 420 x 352 x 433 mm

Interior dimensions: 320 x 260 x 304 mm

Net Weight: 36.0 kg Volume: 25.3 litres





#### YFM/310/FG2



...........

Exterior dimensions: 308 x 410 x 342 mm

Interior dimensions: 220 x 330 x 225 mm

Net Weight: 26 kg Volume: 16.3 litres







#### YFM/420/FG2



Exterior dimensions: 420 x 352 x 433 mm

Interior dimensions: 320 x 260 x 304 mm

Net Weight: 36 kg Volume: 25.3 litres











#### YDM/420/FG3









Exterior dimensions: 522 x 404 x 440 mm

Interior dimensions: 410 x 300 x 300 mm

Net Weight: 53 kg Volume: 36.9 litres







# YFM/520/FG2



Exterior dimensions: 522 x 404 x 440 mm

Interior dimensions: 410 x 300 x 300 mm

Net Weight: 53 kg Volume: 36.9 litres







## **FIRE SAFE**

- 16 mm locking bolts world class electronic lock with over 1 billion combinations
- Pre-drilled holes with fixing bolts included
- Emergency battery opening







# The world's favourite lock

## **CERTIFIED SAFE**

#### **Product Features and Functions**

- 22 mm locking bolts / electronic lock with motorized bolts 6 lever double bitted mechanical override
- Pre-drilled holes with fixing bolts
- Full felt lining Internal LED light
- Sold Secure Silver / Secure by design
- Armoured and reinforced walls and door Key areas impact-tested and reinforced with hardened steel









# YSM/620/EG1







Interior dimensions:









610 x 340 x 310 mm

Net Weight: 33.0 kg Volume: 64.3 litres

#### YSM/250/EG1















Exterior dimensions: 250 x 350 x 300 mm

Net Weight: 16.0 kg














Interior dimensions: 510 x 337 x 290 mm

Net Weight: 30.0 kg Volume: 49.8 litres











Volume: 24.8 litres

Exterior dimensions: 200 x 480 x 350 mm



YLM/200/EG1





















Interior dimensions: 390 x 337 x 270 mm

Net Weight: 23.0 kg Volume: 35.5 litres



#### YSB/200/EB1











Exterior dimensions: 200 x 350 x 200 mm

Interior dimensions: 192 x 345 x 145 mm

Net Weight :9.0 kg Volume: 9.6 litres

#### YSB/250/EB1









Exterior dimensions: 250 x 350 x 300 mm

Interior dimensions: 242 x 345 x 245 mm

Net Weight:13.0 kg Volume: 20.5 litres

#### YLB/200/EB1












Exterior dimensions: 200 x 480 x 350 mm

Interior dimensions: 192 x 475 x 295 mm

Net Weight: 14.0 kg Volume: 26.9 litres

#### YSB/400/EB1





## PREMIUM SAFE

- 22 mm locking bolts
- Electronic lock with motorized bolts
- 6 lever double bitted mechanical override
- Solid steel motorized locking bolts
- Reinforced impact-proof locking mechanism
- Pre-drilled holes with fixing bolts included





## **ELITE HD SAFE**

#### **Product Features and Functions**

- A new-age product from Yale, a hundred year old brand
- Certified with CCC (China Compulsory Certification)
- Uniquely designed electronic panel with new style
- Laser cut door with least gap for anti-prying
- 10mm fine quality steel door for excellent protection against hammering and drilling
- Solid steel bolts with upper and lower side for excellent strength
- Fully luxurious interior liners
- LED light with auto sensor for ease of use in darkness
- With fixing bolts for fixing the safe on to the wall



## YSELC/900/DW1









External Size: 900 x 430 x 350mm

Internal Size: 880 x 400 x 260mm

Net Weight: 113 kg Volume: 92 L



#### YSELC/500/DW1



External Size: 500 x 430 x 350mm

Internal Size: 480 x 400 x 260mm

Net Weight: 71 kg Volume: 50 L

#### YSELC/700/DW1



700 x 430 x 350mm

680 x 400 x 260mm

Net Weight: 92 kg Volume: 71 L

#### YLEL/200/EG5







Exterior dimensions: 200 x 310 x 200mm

Interior dimensions: 197 x 307 x 137mm

Weight: 10.8 kg Volume: 8.3 litres

#### **YSEL/250/EG5**







Exterior dimensions: 250 x 350 x 250mm

Interior dimensions: 247 x 347 x 195mm

Weight: 9.3 kg Volume: 16.7 litres

#### YLEL/200/EG5







Exterior dimensions: 200 x 430 x 350mm

Interior dimensions: 197 x 427 x 295mm

Weight: 10.8 Volume: 24.8 litres

# YSEL/390/EG1







Exterior dimensions: 390 x 350 x 360mm

Interior dimensions: 387 x 347 x 305mm

Weight: 14.3 kg Volume: 41.0 litres



## **ELITE SAFE**

- 17mm motorized locking bolts
- Overriding 4-sided cross keys
- Steel wall and door with stylish matt finishing
- Anti-prying reinforcement frames (for medium, large and laptop models)
- Pre-drilled holes for mounting
- 2 pcs fixing bolts provided for installation
- 3-6 digits combination LED display
- Automatic lock down for 3 minutes on three consecutive incorrect entries and buzzer alarm for 1 minute
- Easy operation for new code setting: Enter passcode and press 'Key' to set a new code and lock the safe at the same time
- One-key locking: simply press "Key" to lock the safe without changing the passcode
- Master code for guest house application (Administration mode to change master code and other options)





## **GUEST SAFE**

#### **Product Features and Functions**

- 16 mm locking bolts
- Electronic lock with handle opening
- Tubular pin tumbler lock
- Programmable user code function
- Guesthouse master code function
- LCD display with easy to operate 3 to 8 digits
- Programmable user / guest code
- Time Lock safe locks down for 5 minutes after 3 wrong attempts
- Silent input option
- Secret input option
- Batteries positioned on the outside (No need to unlock the safe to change them)



# YSG/250/DB1 - MICHELLINA 5 ® O (N) (SEE

Exterior dimensions: 250 x 350 x 250 mm

Interior dimensions: 247 x 347 x 187 mm

Net Weight: 9.3 kg Volume: 16.0 litres

#### YLG/200/DB1









Exterior dimensions: 200 x 430 x 350 mm

Interior dimensions: 197 x 427 x 287 mm

Net Weight: 11.2 kg Volume: 24.1 litres

#### YSG/200/DB1









Exterior dimensions: 200 x 310 x 200 mm

Interior dimensions: 197 x 307 x 137 mm

Net Weight: 5.8 kg Volume: 8.3 litres

#### YLS/200/DB2







Exterior dimensions: 200 x 430 x 350 mm

Interior dimensions: 190 x 420 x 300 mm

Net Weight: 11.2 kg Volume: 23.9 litres

Net Weight: 5.5 kg Volume: 8.6 litres

#### YSS/200/DB2




#### YSS/250/DB2











Interior dimensions: 240 x 340 x 200 mm

Net Weight:7.6 kg Volume:16.3 litres











Exterior dimensions: 300 x 380 x 300 mm

Interior dimensions: 290 x 370 x 250 mm

Net Weight: 13.1 kg Volume: 26.8 litres



## STANDARD SAFE

- Easily operated electronic lock
- One-touch re-set button inside safe
- Programmable with 100,000+ combinations
- Time lock sets in if wrong code is entered more than 3 times Bolts to floor or wall
- Fixings included

